

Alside (vinyl) Windows

Window Materials

Vinyl: Window extrusions (frames) are made from 100 % vinyl


Frame Colors

White
Beige

Frame Construction

This refers to the sash's sizes (the sash is the operational part of your window.) The standard window is broken in the middle in a 50/50 break. If you wish to have the upper sash to be larger than the bottom this is called an Oriel, which will break the window at a 60/40 split: 60% upper and 40% lower.


Layout Options



Layout one is for any single window placed in the opening. This window can be a picture, two lite slider, three lite slider, double hung, casement, awning or any specialty shaped window.




Layout two is for two window's side by side in a single opening. These windows can be double hung, casements or awning.



Layout three has two horizontal windows in a single opening. The standard option is to have a picture window on top of a two or three lite slider on the bottom. This can be switched to a two or three lite slider on top with the picture on the bottom.



Layout four is for three windows side by side in a single opening. This layout typically has a picture window in the middle with either double hung, casement or awning windows to the side of them.




Layout five has three horizontal windows in one opening. The standard layout is to have a picture window in the middle with a two or three lite slider above and below it.



Layout six has three windows in one opening. The typical layout for this is a picture window on top with two awning windows side by side on the bottom. You can also choose to have a two or three lite slider above two picture or awning windows.




Layout seven has three windows in a single opening. The standard layout for this is two awning windows side by side with a picture window on the bottom. You can also choose to have two awning or picture windows on top of a two or three light slider.



Layout eight has four windows in a single opening. The standard layout for this is two picture windows side by side with two awning windows side by side on the bottom. You can also choose to have four picture or awning windows in this opening.




Layout nine has four windows side by side in a single opening. The standard layout is four double hung windows side by side. You can choose from picture, double hung, casement or awning windows for this opening as well.



Layout ten has four horizontal windows in a single opening. The standard layout is a picture window in the number 1 and 3 spots with a two or three lite slider in the 2 and four spots.

Standard Window Types




Single hung: has a stationary window on top with a vertical operating sash on the bottom.




Double hung: has two vertical operating sashes - one on the top and one on the bottom.




Single casement: is a vertical crank-out window - crank can be on the left or the right.



Single awning: Is a horizontal crank out window.



Picture window: is a full view window with no operating sashes - can be horizontal or vertical.



Two lite slider: Has two horizontal operating sashes.



Three lite slider: Has two horizontal operating sashes with a picture window in the middle.

Glass Options

CLIMATECH: Double glazed unit with PPG intercept spacer, one surface of PPG solar ban 60-lowE glass and argon gas.

CLIMA TECH PLUS: Double glazed unit with foam spacers, one surface of PPG solar ban 60 lowE glass and argon gas.

CLIMATECH 2: (LOWE ON TWO SURFACES/ARGON): Double glazed unit with PPG intercept spacer, two surfaces of PPG solar ban 60 lowE glass and argon gas.

CLIMATECH TG2: Triple glazed unit with PGG intercept spacer, two surfaces of PGG Solar ban 60 LowE glass and two spaces filled with argon gas. **Special Note: this option is only available with Ultramaxx, Casement and Awning window lines.**

TINT: For additional window appearance gray and bronze tints are available.

SUN CLEAN: (self cleaning glass) PPG sun clean is a self cleaning glass coated with photo catalytic and hydrophilic properties combined to result in a window that is easier to clean. Sun clean is available on all Climatech options except Climatech 2.

SECUREST: (Laminated Glass) Laminated glass using a 30 mil. plastic interlayer bonded between two layers of glass by heat and pressure.

TEMPERED GLASS: Heat hardened glass that if broken breaks in small pieces, limiting the chance of being severely cut.

GLASS BREAKAGE WARRANTY: Lifetime glass breakage warranty covering the glass if broken.

OBSCURED GLASS: This glass is not see through, and is typically used in the bathroom. It allows light in but you can not see through it.

Grid Options

Grid Colors: White, white wood grain, light oak wood grain, dark oak wood grain, cherry wood grain, american brown wood grain and brass.

Grid Types

Colonial grids: checkered grids that can be laid out evenly or you can have more on top than on bottom.

Diamond grids: diamond shaped grids that can be laid out evenly or have more on top than on bottom.

Single prairie grids: single line grids outlining the window both vertically and horizontally with both lines crossing each at the corners. This feature can span through both sashes or be broken into both sashes.

Double prairie grids: double line outlining the window both vertically and horizontally with both lines crossing each at the corners. This feature can span through both sashes or can be broken into both sashes.

Exterior Laminates

If you wish to have the exterior of the window frames to be a color other than white or beige you will need to choose an exterior laminate color. The color option is:

American Brown

Interior Frame Laminates

If you wish to have the interior of the window frames to be a color other than white or beige you will need to choose an interior laminate color. The color options are:
Light oak wood grain, dark oak wood grain, cherry wood grain, american brown wood grain

Screens

Fiberglass, Aluminum